

Front mounted roller shutters

**ST
BL
OS
IT** **2000**®

TECHNICAL CATALOGUE



TABLE OF CONTENTS:

Features and benefits of external systems	2
Box components	3
Sections and parts list ST2000	4
Sections and parts list RL2000	8
Sections and parts list OS2000	12
Sections and parts list IT2000	16
Sides	20
Components of ALU boxes	22
Additional components	29
Mosquito net	42
Curtain profiles, profile plugs	45
Bottom laths, additional components of the bottom lath	48
Guides, additional components of guides	51
Divisions	57
Assembly drawings - divisions	67
Assembly drawings - outputs of the tape	80
Assembly drawings - outputs of the cord and the cable	81
Assembly drawings - crank lifting mechanism	82
Assembly drawings - NHK installation	84
Assembly drawings – motor installation	86
Assembly drawings - guide installation	87
Assembly drawings - method of attaching latches and guide spacer strips	89
Assembly drawings - drilling holes in guides	91
Installation of the cylinder lock in the bottom lath	92
Recommended box sizes	93
Declaration of performance	97



ST2000[®] with mosquito net

- + box cut at an angle of 45°
- + the roller shutter can be mounted on the wall without limiting the window light
- + the system is available in wood-like colors

RL2000[®] with mosquito net

- + roller shutter with rounded bottom component of the box
- + a perfect idea for the new facade
- + perfectly protects the rooms from excessive sunshine and heating



OS2000[®] with mosquito net

- + box with an attractive oval design made of bent sheet metal
- + perfectly protects against sun, wind, rain, snow and other atmospheric phenomena
- + ensures privacy and significantly affects the sense of security of the household members



ST2000, RL2000, OS2000, IT2000 are PORTOS trademarks.

All photos and drawings contained in the catalogue are for reference only.

The PORTOS company reserves the right to make changes. ©2026 PORTOS. All rights reserved.

Components of the box

IT2000

IT2000[®] with mosquito net



- + roller shutter perfectly matched to the color of your windows
- + the inspection cover located in the box is outside the building which allows for a clean and simple service operation
- + aesthetic appearance owing to the possibility of building up the box

LEGEND:



The system for which the component is designed.



The size of the box for which the component is designed.



The indicative weight of the component (in kg).



The maximum length of a long component (given in meters).




The material used to make a component (e.g. PVC, aluminium, etc.).



The component with a veneering option.


Components of the ST2000[®] system Box 137, 150, 165, 180, 205 - cross section and parts list



ST2000® - cross-section and parts list

1.	BS-137 L/R	Side of the box ST2000 137
	BS-150 L/R	Side of the box ST2000 150
	BS-165 L/R	Side of the box ST2000 165
	BS-180 L/R	Side of the box ST2000 180
	BS-205 L/R	Side of the box ST2000 205
2.	SK-137G	Box 137 top
	SK-150G	Box 150 top
	SK-165G	Box 165 top
	SK-180G	Box 180 top
	SK-205G	Box 205 top
3.	SK-137D	Box ST2000 137 bottom
	SK-150D	Box ST2000 150 bottom
	SK-165D	Box ST2000 165 bottom
	SK-180D	Box ST2000 180 bottom
	SK-205D	Box ST2000 205 bottom
4.	KNO-40-137	Wheel of the roller for box 137
	KNO-40-150	Wheel of the roller for box 150
	KNO-40-165	Wheel of the roller for box 165
	KNO-40-180	Wheel of the roller for boxes 180 and 205
5.	PP-53	Single guide
6.	P-53	Plug for aluminium guides PP-53
7.	LO 28/12	Bearing for ALU
8.	SPP L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60


Components of the ST2000[®] system with mosquito net Box 150, 165, 180, 205 - cross section and parts list



ST2000® with mosquito net - cross-section and parts list

1.	BS-150 L/R	Side of the box ST2000 150
	BS-165 L/R	Side of the box ST2000 165
	BS-180 L/R	Side of the box ST2000 180
	BS-205 L/R	Side of the box ST2000 205
2.	SK-150G	Box 150 top
	SK-165G	Box 165 top
	SK-180G	Box 180 top
	SK-205G	Box 205 top
3.	SK-150DM	Box ST2000 150 bottom for mosquito net
	SK-165DM	Box ST2000 165 bottom for mosquito net
	SK-180DM	Box ST2000 180 bottom for mosquito net
	SK-205DM	Box ST2000 205 bottom for mosquito net
4.	KNO-40-150	Wheel of the roller for box 150
	KNO-40-165	Wheel of the roller for box 165
	KNO-40-180	Wheel of the roller for boxes 180 and 205
5.	PPDM-53	ALU double guide for mosquito net
6.	P-53M	Plug for aluminium guides PPDM-53
7.	LO 28/12	Bearing for ALU
8.	SPPM L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60
12.	M-RZ-040	Mosquito net handle in the front mounted roller shutter
13.	M-RZ-200	Mosquito net handle in the front mounted roller shutter
14.	M-RZ-210	Slowing system for mosquito net in the front mounted roller shutter
15.	LDM-41x8 CH	Bottom lath for mosquito net
16.	MOS FI23 1,7	Mosquito net on the pipe ø 23 1,7
	MOS FI23 2,6	Mosquito net on the pipe ø 23 2,6


Components of the RL2000® system Box 150, 180, 205 - cross section and parts list



RL2000® - cross-section and parts list

1.	BS-150 RL2000 L/R	Box side RL2000 150
	BS-180 RL2000 L/R	Box side RL2000 180
	BS-205 RL2000 L/R	Box side RL2000 205
2.	SK-150G	Box 150 top
	SK-180G	Box 180 top
	SK-205G	Box 205 top
3.	SK-150D RL2000	Box RL2000 150 bottom
	SK-180D RL2000	Box RL2000 180 bottom
	SK-205D RL2000	Box RL2000 205 bottom
4.	KNO-40-150	Wheel of the roller for box 150
	KNO-40-180	Wheel of the roller for boxes 180 and 205
5.	PP-53	Single guide
6.	P-53	Plug for aluminium guides PP-53
7.	LO 28/12	Bearing for ALU
8.	SPP L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60


Components of the RL2000[®] system with mosquito net Box 150, 180, 205 - cross section and parts list



RL2000® with mosquito net - cross-section and parts list

1.	BS-150 RL2000 L/R	Box side RL2000 150
	BS-180 RL2000 L/R	Box side RL2000 180
	BS-205 RL2000 L/R	Box side RL2000 205
2.	SK-150G	Box 150 top
	SK-180G	Box 180 top
	SK-205G	Box 205 top
3.	SK-150DM RL2000	Box RL2000 150 bottom for mosquito net
	SK-180DM RL2000	Box RL2000 180 bottom for mosquito net
	SK-205DM RL2000	Box RL2000 205 bottom for mosquito net
4.	KNO-40-150	Wheel of the roller for box 150
	KNO-40-180	Wheel of the roller for boxes 180 and 205
5.	PPDM-53	ALU double guide for mosquito net
6.	P-53M	Plug for aluminium guides PPDM-53
7.	LO 28/12	Bearing for ALU
8.	SPPM L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60
12.	M-RZ-040	Mosquito net handle in the front mounted roller shutter
13.	M-RZ-200	Mosquito net spring in the front mounted roller shutter
14.	M-RZ-210	Slowing system for mosquito net in the front mounted roller shutter
15.	LDM-41x8 CH	Listwa dolna do moskitiery
16.	MOS FI23 1,7	Moskitiera na rurce ø 23 1,7
	MOS FI23 2,6	Moskitiera na rurce ø 23 2,6



Components of the OS2000® system Box 137, 165, 180, 205 - cross section and parts list



OS2000® - cross-section and parts list

1.	BS-137 OS/OL L/R	Box side OS2000 137
	BS-165 OS/OL L/R	Box side OS2000 165
	BS-180 OS/OL L/R	Box side OS2000 180
	BS-205 OS/OL L/R	Box side OS2000 205
2.	SK-OS-137G	Box OS2000 137 top
	SK-OS-165G	Box OS2000 165 top
	SK-OS-180G	Box OS2000 180 top
	SK-OS-205G	Box OS2000 205 top
3.	SK-OS-137D	Box OS2000 137 bottom
	SK-OS-165D	Box OS2000 165 bottom
	SK-OS-180D	Box OS2000 180 bottom
	SK-OS-205D	Box OS2000 205 bottom
4.	KNO-40-150	Wheel of the roller for box 150
	KNO-40-180	Wheel of the roller for boxes 180 and 205
5.	PP-53	Single guide
6.	P-53	Plug for aluminium guides PP-53
7.	LO 28/12	Bearing for ALU
8.	SPP L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60


Components of the OS2000® system with mosquito net Box 165, 180, 205 - cross section and parts list



OS2000® with mosquito net - cross-section and parts list

1.	BS-165 OS/OL L/R	Box side OS2000 165
	BS-180 OS/OL L/R	Box side OS2000 180
	BS-205 OS/OL L/R	Box side OS2000 205
2.	SK-OS-165G	Box OS2000 165 top
	SK-OS-180G	Box OS2000 180 top
	SK-OS-205G	Box OS2000 205 top
3.	SK-OS-165DM	Box OS2000 165 bottom for mosquito net
	SK-OS-180DM	Box OS2000 180 bottom for mosquito net
	SK-OS-205DM	Box OS2000 205 bottom for mosquito net
4.	KNO-40-165	Wheel of the roller for box 165
	KNO-40-180	Wheel of the roller for boxes 180 and 205
5.	PPDM-53	ALU double guide for mosquito net
6.	P-53M	Plug for aluminium guides PPDM-53
7.	LO 28/12	Bearing for ALU
8.	SPPM L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60
12.	M-RZ-040	Mosquito net handle in the front mounted roller shutter
13.	M-RZ-200	Mosquito net spring in the front mounted roller shutter
14.	M-RZ-210	Slowing system for mosquito net in the front mounted roller shutter
15.	LDM-41x8 CH	Bottom lath for mosquito net
16.	MOS FI23 1,7	Mosquito net on pipe ø 23 1.7
	MOS FI23 2,6	Mosquito net on pipe ø 23 2.6


Components of the IT2000® system Box 137, 165, 180, 205 - cross section and parts list



IT2000® - cross-section and parts list


1.	BS-137 IT2000 L/R	Box side IT2000 137
	BS-165 IT2000 L/R	Box side IT2000 165
	BS-180 IT2000 L/R	Box side IT2000 180
	BS-205 IT2000 L/R	Box side IT2000 205
2.	SK-137G IT2000	Box IT2000 137 top
	SK-165G IT2000	Box IT2000 165 top
	SK-180G IT2000	Box IT2000 180 top
	SK-205G IT2000	Box IT2000 205 top
3.	KR 137 IT2000	Inspection cover IT2000 137
	KR 165 IT2000	Inspection cover IT2000 165
	KR 180 IT2000	Inspection cover IT2000 180
	KR 205 IT2000	Inspection cover IT2000 205
4.	L.DYS-137 L/R	Spacer strips 137
	L.DYS-165 L/R	Spacer strips 165
	L.DYS-180 L/R	Spacer strips 180
	L.DYS-205 L/R	Spacer strips 205
5.	LT 20	Concealed lath 20 mm
	LT 19	Concealed lath 19 mm
	LT 12	Concealed lath 12 mm
	LT ZERO	Concealed lath zero
6.	KNO-40-137	Wheel of the roller for box 137
	KNO-40-165	Wheel of the roller for box 165
	KNO-40-180	Wheel of the roller for boxes 180 and 205
7.	LO 28/12	Bearing for ALU
8.	SPP L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60
12.	PP-53	Single guide
13.	P-53	Plug for aluminium guides PP-53

Components of the IT2000® system with mosquito net Box 137, 165, 180, 205 - cross section and parts list



IT2000® with mosquito net - cross-section and parts list

1.	BS-165 IT2000 L/P	Box side IT2000 165
	BS-180 IT2000 L/P	Box side IT2000 180
	BS-205 IT2000 L/P	Box side IT2000 205
2.	SK-165G IT2000	Box IT2000 165 top
	SK-180G IT2000	Box IT2000 180 top
	SK-205G IT2000	Box IT2000 205 top
3.	KR 165 IT2000	Inspection cover IT2000 165
	KR 180 IT2000	Inspection cover IT2000 180
	KR 205 IT2000	Inspection cover IT2000 205
4.	L.DYS-165 L/P	Spacer strips 165
	L.DYS-180 L/P	Spacer strips 180
	L.DYS-205 L/P	Spacer strips 205
5.	LT 20	Concealed lath 20 mm
	LT 19	Concealed lath 19 mm
	LT 12	Concealed lath 12 mm
	LT ZERO	Concealed lath zero
6.	KNO-40-165	Wheel of the roller for box 165
	KNO-40-180	Wheel of the roller for boxes 180 and 205
7.	LO 28/12	Bearing for ALU
8.	SPPM L/P	Profile blade slider
9.	OBS-40	Mounting for ø 40 pipe
	OBS-60	Mounting for ø 60 pipe
10.	PZ40/50	Expansion ring
	PZ60/70	Expansion ring
11.	SW 40	Octagonal pipe ø 40
	SW 60	Octagonal pipe ø 60
12.	PPDM-53	ALU double guide for mosquito net
13.	P-53M	Plug for aluminium guides PPDM-53
14.	M-RZ-040	Mosquito net handle in the front mounted roller shutter
15.	M-RZ-200	Mosquito net spring in the front mounted roller shutter
16.	M-RZ-210	Slowing system for mosquito net in the front mounted roller shutter
17.	LDM-41x8 CH	Bottom lath for mosquito net
18.	MOS FI23 1,7	Mosquito net on the pipe ø 23 1.7
	MOS FI23 2,6	Mosquito net on the pipe ø 23 2.6





BS L/R

Side of the ST2000® system roller shutter.

	A (mm)	A1 (mm)	H (mm)	H1 (mm)	T (mm)
BS/137/XX	138	119	138	203	38
BS/150/XX	151	132	151	216	41
BS/165/XX	166	147	166	231	47
BS/180/XX	181	162	181	246	51
BS/205/XX	206	187	206	271	57

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
BS/137/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x
BS/150/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
BS/165/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x
BS/180/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
BS/205/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x





BS RL2000 L/R

Side of the RL2000® system roller shutter.

	A (mm)	A1 (mm)	H (mm)	H1 (mm)
BS/150/RL2000/XX	150	133	150	221
BS/180/RL2000/XX	180	161	181	242
BS/205/RL2000/XX	205	186	206	277

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
BS/150/RL2000/XX	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x				
BS/180/RL2000/XX	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x				
BS/205/RL2000/XX	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x				








BS OS2000 L/R

Side of the OS2000® system roller shutter.

	A (mm)	A1 (mm)	H (mm)	H1 (mm)	R (mm)
BS/137/OS/XX	153	133	140	204	70
BS/165/OS/XX	184	164	168	233	84
BS/180/OS/XX	201	181	184	249	92
BS/205/OS/XX	229	209	209	274	104

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
BS/137/OS/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
BS/165/OS/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
BS/180/OS/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
BS/205/OS/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				




BS IT2000 L/R

Side of the IT2000® system roller shutter - unvarnished.

	A (mm)	A1 (mm)	H (mm)	H1 (mm)
BS-137-00 IT2000	138	119	138	203
BS-165-00 IT2000	166	147	166	231
BS-180-00 IT2000	181	162	181	246
BS-205-00 IT2000	206	187	206	271






SK-G


Aluminium box ST2000®, RL2000® - top.

	A (mm)	B (mm)
SK-137G/XX	137,5	137,5
SK-150G/XX	150,5	150,5
SK-165G/XX	165,5	165,5
SK-180G/XX	180,5	180,5
SK-205G/XX	205,5	205,5

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
SK-137G/XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X
SK-150G/XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
SK-165G/XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X
SK-180G/XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
SK-205G/XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X



ST2000	RL2000	BOX 137,150, 165,180,205	ALU	Max. 6mm
137 1m 0,585kg	150 1m 0,642kg	165 1m 0,701kg	180 1m 0,747kg	205 1m 0,920kg




SK-D



Aluminium box ST2000® - bottom.

	A (mm)	B (mm)
SK-137D/XX	127	104
SK-150D/XX	140	114
SK-165D/XX	155	130
SK-180D/XX	170	144
SK-205D/XX	195	170

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
SK-137D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x
SK-150D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
SK-165D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x
SK-180D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
SK-205D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x



ST2000	BOX 137,150, 165,180,205	ALU	Max. 6mm ↔	
 137 1m 0,405kg	 150 1m 0,458kg	 165 1m 0,503kg	 180 1m 0,554kg	 205 1m 0,706kg






SK-DM

Aluminium box ST2000® - bottom for mosquito net.

	A (mm)	B (mm)
SK-150DM/XX	156	113
SK-165DM/XX	171	129
SK-180DM/XX	186	142
SK-205DM/XX	211	169

Index/color (XX)	Index/color (XX)																					
	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
SK-150DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-165DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	
SK-180DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-205DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	





SK-D RL2000

Aluminium box RL2000® - bottom.

	A (mm)	B (mm)
SK-150D/XX RL2000	140,0	115,0
SK-180D/XX RL2000	171,0	145,0
SK-205D/XX RL2000	196,0	172,0

Index/color (XX)	Index/color (XX)																					
	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
SK-150D/XX RL2000	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x					
SK-180D/XX RL2000	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x					
SK-205D/XX RL2000	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x					







SK-DM RL2000

Aluminium box RL2000® - bottom for mosquito net.

	A (mm)	B (mm)
SK-150DM/XX RL2000	161	104
SK-180DM/XX RL2000	191	136
SK-205DM/XX RL2000	219	164

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
SK-150DM/XX RL2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-180DM/XX RL2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-205DM/XX RL2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				






SK-OS-G

Aluminium box OS2000® - top.

	A (mm)	B (mm)
SK-OS-137G/XX	138,0	141,0
SK-OS-165G/XX	166,0	168,0
SK-OS-180G/XX	181,0	182,0
SK-OS-205G/XX	206,0	206,0

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
SK-OS-137G/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-OS-165G/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-OS-180G/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
SK-OS-205G/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				








SK-OS-D

Aluminium box OS2000® - bottom.

	A (mm)	B (mm)
SK-OS-137D/XX	111,0	106,0
SK-OS-165D/XX	132,0	135,0
SK-OS-180D/XX	144,0	152,0
SK-OS-205D/XX	165,0	180,0

Index/color (XX)	Index/color (XX)															
	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive
SK-OS-137D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
SK-OS-165D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
SK-OS-180D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
SK-OS-205D/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x





SK-OS-DM

Aluminium box OS2000® - bottom for mosquito net.

	A (mm)	B (mm)
SK-OS-165DM/XX	166	130
SK-OS-180DM/XX	179	155
SK-OS-205DM/XX	201	158

Index/kolor (XX)	Index/kolor (XX)															
	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive
SK-OS-165DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
SK-OS-180DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
SK-OS-205DM/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x






SK-G IT2000

Aluminium box IT2000®

	A (mm)	B (mm)	C (mm)
SK-137G IT2000	137,0	137,0	107,0
SK-165G IT2000	165,0	165,0	134,0
SK-180G IT2000	180,0	180,0	150,0
SK-205G IT2000	204,0	205,0	174,0



IT2000

BOX
137,165,
180,205

ALU


Max.
6mm

137
1mm
0,681kg

165
1mm
0,847kg

180
1mm
0,962kg

205
1mm
1,363kg




KR IT2000

Inspection cover IT2000®

	A (mm)
KR 137/XX IT2000	82,0
KR 165/XX IT2000	107,0
KR 180/XX IT2000	122,0
KR 205/XX IT2000	132,0

Index/color (XX)	Index/color (XX)																					
	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
KR 137/XX IT2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					
KR 165/XX IT2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					
KR 180/XX IT2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					
KR 205/XX IT2000	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					
	+ all veneer colors																					



IT2000

BOX
137,165,
180,205

ALU


Max.
6mm

137
1mm
0,409kg

165
1mm
0,480kg

180
1mm
0,635kg

205
1mm
0,726kg



L.DYST

Spacer strip IT2000®

	A (mm)	B (mm)
L.DYST-137/XX	78,0	40,0
L.DYST-165/XX	105,0	40,0
L.DYST-180/XX	120,0	40,0
L.DYST-205/XX	146,0	40,0

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
L.DYST-137/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
L.DYST-165/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
L.DYST-180/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			
L.DYST-205/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			

IT2000

BOX
137,165
180,205


ALU

137
1pc
0,01kg

165
1pc
0,015kg

180
1pc
0,02kg

205
1pc
0,02kg




LT ZERO

Concealed lath for box 137,165,180, 205 for IT2000® system.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
LT ZERO/XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			

+ wszystkie kolory oklein



IT2000


BOX
137,165
180,205

Max.
6mm

IT2000

ALU

1m
0,33kg






LT 12

Concealed lath for box 137, 165, 180, 205 for IT2000® system.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
LT 12 XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					
	+ all veneer colors																					

+ all veneer colors






LT 19 IT2000

Concealed lath for box 137, 165, 180, 205 for IT2000® system.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
LT 19 XX IT2000	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x					
+ all veneer colors																						

+ all veneer colors






LT 20

Concealed lath for box 137, 165, 180, 205 for IT2000® system.

Index/kolor (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
LT 20 XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X					
	+ all veneer colors																					

+ all veneer colors







SW 40

Octagonal pipe $\varnothing 40$.


SW 60

Octagonal pipe $\varnothing 60$.




OBS-40/78

Mounting 40/78 for aluminium.



OBS-60

Mounting 60 for aluminium.



RKZ 34

Round bolt for $\varnothing 40$ pipe.
(to transfer power)


RKZ 35

Round bolt for $\varnothing 60$ pipe.
(to transfer power)



Components for front mounted roller shutter system

Additional components




PZ 40/50

Expansion ring 40/50.


PZ 60/70

Expansion ring 60/70.




RED-40-60

Reduction 40/60.



KNO-40-125


Wheel of the roller with mounting.



KNO-40-137


Wheel of the roller with mounting for SK-137.






KNO-40-150

Wheel of the roller with mounting for SK-150.




KNO-40-165

Wheel of the roller with mounting for SK-165.




KNO-40-180

Wheel of the roller with mounting for SK-180 and SK-205.



LO-28/12

Bearing for front mounted roller shutter boxes $\varnothing 60$.



WBZ1-40

1-piece blocking hitch bracket for $\varnothing 40$ pipe.

WBZ2-40

2-piece blocking hitch bracket for $\varnothing 40$ pipe.

WBZ1-60


1-piece blocking hitch bracket for $\varnothing 60$ pipe.

WBZ2-60

2-piece blocking hitch bracket for $\varnothing 60$ pipe.

Components for front mounted roller shutter system

Additional components




WB1-40 W

2-piece blocking hitch bracket for $\varnothing$ 40 pipe.

WB1-60 W

2-piece blocking hitch bracket for $\varnothing$ 60 pipe.



WB3-40 W

3-piece blocking hitch bracket for $\varnothing$ 40 pipe.

WB3-60 W

3-piece blocking hitch bracket for $\varnothing$ 60 pipe.



WS-37/40-170

Steel hanger 170.



WS-37/40-170 S

Steel hanger 170 (electrically powered roller shutters).




WS-37/40-170 ALU


Aluminium hanger.



PPK



PPK-PODKŁADKA PCV




PPK

Screw Caps.

PPK-PODKŁADKA PCV

PVC washer.




PTR XX

Tape guide with pipe.

Available in colors (XX):

02 - white, 08 - dark brown.




PTRP-SZ XX

Tape guide with pipe and brush seal - straight.

Available in colors (XX):

02 - white, 08 - dark brown, 23 - anthracite.




PT-XX N

Flat tape guide with brush seal.

Available in colors (XX):

02 - white, 08 - dark brown.



PTR-XX N

Tape guide with pipe and brush seal.


Available in colors (XX):

02 - white, 08 - dark brown, 23 - anthracite.




Components for front mounted roller shutter system

Additional components



PTD

Two-roller tape guide.




PTD-OPT XX

Cover for two-roller tape guide.

Available in colors (XX):

02 - white, 08 - dark brown.




PRS-250-PR XX

Cord guide.


Available in colors (XX):

02 - white, 08 - dark brown, 23 - anthracite.



GWL

Rubber cord leading out.




PRS-250-SPR

Spring for the cord guide 250 mm.

PRS-500-SPR

Spring for the cord guide 500 mm.




SPP XX

Blade slider in the guide for profile PA 39, PA 45.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown, 23 - anthracite, 48 - golden oak.




SPP-52 XX

Blade slider for profile PA 52.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown, 23 - anthracite.




SPPM XX

Blade slider in the guide with mosquito net for profile PA 39, PA 45.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 23 - anthracite, 48 - golden oak.



SPD XX

Blade slider for dividing for profile PA 39, PA 45.


Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown, 23 - anthracite.



Components for front mounted roller shutter system

Additional components




SPD 52 XX

Blade slider for dividing for profile PA 52.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown, 23 - anthracite, 48 - golden oak.




SPDM-XX

Blade slider for dividing with mosquito net for profile PA 39, PA 45.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown, 23 - anthracite, 48 - golden oak.




SPP-WYM-XX

Replaceable blade slider in the guide for profile PA 39, PA 45.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown.




SPPM-WYM-XX

Replaceable blade slider in the guide with mosquito net for profile PA 39, PA 45.

Available in colors (XX):

02 - white, 03 - gray, 08 - dark brown, 09 - light brown.




ZT-5M XX

5m white tape coiler.

Available in colors (XX):


02 - white, 08 - dark brown.






ZT/L-5M-XX

Universal tape/ cord coiler up to 5m.
Available in colors (XX):
23 - anthracite.



ZT-11M XX

11 m tape coiler.
Available in colors (XX):
02 - white, 08 - dark brown.




KPTKM-XX

Cassette with tape transmission.
Available in colors (XX):
02 - white, 08 - dark brown.


KPLKM-XX

Cassette with cord transmission.
Available in (XX) colors:
02 - white, 08 - dark brown.



KRM-140

Mignon crank 140mm.




TS-14-XX

Tape.
Available in colors (XX):
03 - gray, 08 - dark brown, 23 - anthracite.

Components for front mounted roller shutter system

Additional components




LN-45-XX

4.5 mm nylon cord.


Available in colors (XX):

02 - white, 09 - light brown, 23 - anthracite.




KRH-90/1500

Cardan 90 with crank 1500 mm.




U-KRD

Handle for mounting the crank.



ACE-1-11

Crank mechanism - 32 kg.




OBS-40-ACE

Ø40 mounting for the ACE mechanism.

OBS-60-ACE

Ø60 mounting for the ACE mechanism.






RA

Automatic bolt.

Minimum roller shutter width - 45 cm.


Minimum roller shutter height - 90 cm.



ZR

Latch (manual bolt).

Minimum width of the roller shutter - 45 cm.



ZB


Cylinder lock, set of keys (3 pieces) and covering plate.

The covering plate is mounted as standard from the outside.

Minimum roller shutter width - 45 cm.


Available in colors (XX):

01 - silver, 02 - white, 03 - gray, 04 - dark beige,
05 - light beige, 07 - light gray, 08 - dark brown,
09 - light brown, 13 - green, 15 - cream white, 16 - ivory,
19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive.



ZM-SKK

Key lock.




TBP

Pin for division sides.




Components for front mounted roller shutter system

Additional components




P-ACE

Plate for the ACE mechanism.



P-SPR


Spring plate.



SPR-40

Spring for the ø40 roller pipe.


Type/Lifting capacity (kg)	Max. height of the roller shutter (cm)	Rotations	Spring length A (mm)
SPR-40-10	150	11	600
SPR-40-15	250	22	920
SPR-40-24	200	18	760



SPR-60

Spring for the ø60 roller pipe.


Type/Lifting capacity (kg)	Max. height of the roller shutter (cm)	Rotations	Spring length A (mm)
SPR-60-12	220	21	750
SPR-60-15	200	19	695
SPR-60-18	270	19	860
SPR-60-20	270	25	1120
SPR-60-24	200	12	860
SPR-60-34	270	22	940
SPR-60-45	220	17	1150
SPR-60-62	200	13	940



WWS-KR

IT2000® system inspection cover bracket holder.





WS-KR-137

IT2000® inspection cover bracket for the box 137.

WS-KR-165

IT2000® inspection cover bracket for the box 165.


WS-KR-180

IT2000® inspection cover bracket for the box 180.

WS-KR-205

IT2000® inspection cover bracket for the box 205.


IT2000



OWS

Inner cover of the side for all ST2000® system box sizes for ø40, ø60 pipes.


ST2000



OWO

Inner cover of the side for all OS2000®, OL2000® system box sizes for ø40, ø60 pipes.


OS2000
OL2000



OWI

Inner cover of the side for all IT2000® system box sizes for ø40, ø60 pipes.

IT2000




UMIT

IT2000® system inspection cover bracket holder.

	A (mm)	B (mm)	C (mm)
UMIT-137	140	32	25
UMIT-137-20	160	32	25
UMIT-165	168	32	25
UMIT-165-20	188	32	25
UMIT-180	183	32	25
UMIT-180-20	203	32	25
UMIT-205	208	32	25
UMIT-205-20	228	32	25

IT2000



MKZ-020

Spring mechanism for mosquito nets -set (spring MZZ-040)

MKZ-040

Spring mechanism for mosquito nets -set (spring MZZ-020)

MKZ-060

Spring mechanism for mosquito nets -set (spring MZZ-030)

MZZ-020, MZZ-030, MZZ-040 - 1 pc

The spring of the mosquito net, used in a front mounted roller shutter with a width of 55-60cm (MZZ-020), 60 - 65 cm (MZZ-030), over 65 cm (MZZ-040)..

M-RZ-040 - 2 pcs

Handle for front mounted roller shutter mosquito net.

MZW-010 - 1 szt.

Mounting for the mosquito net pipe in the front mounted roller shutter.

M-RW-170-XX L+P - 1 pc L + 1 pc R

Bottom latch latch for the mosquito net.

Available in colors (XX):

02 - white, 03 - gray, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 20 - black, 23 - anthracite.

M-RW-180-XX - 2 pcs

Latch clip.

Available in colors (XX):

02 - white, 03 - gray, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 20 - black, 23 - anthracite.

M-RW-200-XX - 2 pcs

Latch lock in the bottom latch of the mosquito net.

Available in colors (XX):

02 - white, 03 - gray, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 20 - black, 23 - anthracite.

MZW-050-XX - 1 pc

Cord handle in the bottom latch of the mosquito net.

Available in colors (XX):

02 - white, 03 - gray, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 20 - black, 23 - anthracite.

M-RW-080-XX - 2 pcs


Bottom latch handle of the mosquito net.

Available in colors (XX):

02 - white, 03 - gray, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 20 - black, 23 - anthracite.


M-RN-070 - 2 pcs

Spring for cassette's latch.




M-RZ-060

Handle for division in front mounted roller shutter mosquito net.



ABS CZ


Slowing system for mosquito net.



LDM-41x8 XX


Mosquito net bottom lath with seal (mounted from the bottom - Fig.1, front-mounted - Fig.2).

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
LDM-41x8 XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				



SP-5,3x14-3P

Brush seal in the mosquito net bottom lath.



MOS-CZARNA FI23 1,6

Mosquito net 6000 x 1600 mm - black.

MOS-SZARA FI23 1,7


Mosquito net 6000 x 1700 mm - gray.

MOS-CZARNA FI23 2,6

Mosquito net 6000 x 2600 mm - black.

MOS-SZARA FI23 2,6

Mosquito net 6000 x 2600 mm - gray.



PA 39/0k

PA 39 Aluminium profile - perforated.


PA 39/1k

PA 39 Aluminium profile - non-perforated.

Profile height	39 mm
Profile thickness	8,9 mm
Profile weight 1 m ²	2,8 kg
Maximum profile length	6 rm
Number of laths 1m high	26 pcs
Maximum area	6,5 m ²
Maximum roller shutter width	2500 mm

Profile colors (k)

01 - silver	02 - white	03 - grey	04 - dark beige	05 - beige	07 - light grey	08 - dark brown	09 - brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	24 - steel anthracite DB703	26 - steel olive	27 - basalt grey	30 - walnut	34 - bog oak	42 - wooddec turner oak	48 - golden oak	54 - winchester



PA 45/0k

PA 45 Aluminium profile - perforated.


PA 45/1k

PA 45 Aluminium profile - non-perforated.

Profile height	45 mm
Profile thickness	9 mm
Profile weight 1 m ²	2,9 kg
Maximum profile length	6 rm
Number of laths 1m high	23 pcs
Maximum area	6,5 m ²
Maximum roller shutter width	3000 mm

Profile colors (k)

01 - silver	02 - white	03 - grey	04 - dark beige	05 - beige	07 - light grey	08 - dark brown	09 - brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	30 - walnut	42 - wooddec turner oak	48 - golden oak	54 - winchester



PA 52/0k


PA 52 Aluminium profile - perforated.

PA 52/1k

PA 52 Aluminium profile - non-perforated.


Profile height	52 mm
Profile thickness	13 mm
Profile weight 1 m ²	3,0 kg
Maximum profile length	6 rm
Number of laths 1m high	19 pcs
Maximum area	8,0 m ²
Maximum roller shutter width	3700 mm

Profile colors (k)												
01- silver	02 - white	03 - gray	05 - beige	07 - light grey	08 - dark brown	09 - brown	15 - cream white	16 - ivory	23 - anthracite	26 - steel olive	30 - walnut	48 - golden oak




APA 39 M

PA 39 Profile plug.




APA 37-R

PA 39 Profile plug bolt.




APA 45-R

PA 45 Profile plug bolt.



APA 52


PA 52 Profile plug.



LD-35 MINI

Bottom lath for profiles PA 39 with KA-44B seal.


Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
LD-35 MINI XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			



LD-37


Bottom lath for profiles PA 39, 45, 52 with KA-44 seal.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
LD-37 XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			



ZLD


Bottom lath plug.



ZLD37-ZB


Bottom lath plug 37 for cylinder lock.






ZLD MINI

MINI bottom lath plug.



ZLD-OBR


Rotational bottom lath plug.



ZLD-OBR MINI


Rotational plug for the mini bottom lath.





LD-OBCIAŻNIK LD-37

Bottom lath weight 15 cm.




LD-OBCIAŻNIK ZB


200 cm bottom lath weight - for cylinder lock.



BF



BF-40 MM



BF (without the profile plug)
BF-ZAT

} SET

Bottom lath buffer

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
BF XX/BF-ZAT XX	X	X	X	X	X	X	X	X	X			X	X		X	X	X			X	

BF-40 MM (without the profile plug)
BF-ZAT

} SET

Bottom lath buffer

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
PP-66-XX		X	X		X		X	X							X		X			X	






PP-53

Straight guide 53 mm (for profiles PA 39, PA 45).

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
PP-53-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
	+ all veneer colors																					

+ all veneer colors




PPDM-53

Guide for roller shutters with mosquito net (for profiles PA 39, PA 45).

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
PPDM-53-XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			
	+ all veneer colors																				

+ all veneer colors




PK-53

Corner guide 53 mm (for profiles PA 39, PA 45).

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
PK-53-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					
	+ all veneer colors																					

+ all veneer colors




PP-66

Straight guide 66 mm (for profiles PA 52).

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester	
PP-66-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				
	+ all veneer colors																					

+ all veneer colors






PPD-79-XX

Double guide 79 mm (for profiles PA 39, PA 45).


Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
PPD-79-XX	+ all veneer colors																				



PPDW-105

Double guide 105 mm (for profiles PA 52).


Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
PPDW-105-XX	+ all veneer colors																				



PPDM-80-XX

Guide for roller shutters with mosquito net (for profiles PA 39, PA 45).

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
PPDM-80-XX	+ all veneer colors																				




PPMP-79-XX

Double division guide for mosquito net.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
PPMP-79-XX	+ all veneer colors																				






ZSKW XX

End cap with a channel for a gasket.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
ZSKW-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				

+ all veneer colors





ZSKM XX

End cap for aluminium guide mosquito net channel.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
ZSKM-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				

+ all veneer colors




D-PP-53

Spacer strip for a single guide.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
D-PP-53-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				

+ all veneer colors





D-PPD-79

Spacer strip for a double guide.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
D-PPD-79-XX	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				

+ all veneer colors





N/PPDO XX


53 mm guide cap for OS2000® systems. Applied with PP-53 guides and PZO plate.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
N/PPDO XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

ALU

Max.
6mm

1m
0,2kg



N/PPDO 79-XX



79 mm guide cap for OS2000® systems. Applied with PPD-79 guides and PZO plate.

Index/color (XX)	01 - silver	02 - white	03 - gray	04 - dark beige	05 - light beige	07 - light gray	08 - dark brown	09 - light brown	13 - green	15 - cream white	16 - ivory	19 - maroon	20 - black	22 - mahogany	23 - anthracite	26 - steel olive	27 - basalt gray	30 - nut	34 - bog oak	48 - golden oak	54 - winchester
N/PPDO 79-XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

ALU




Max.
6mm

1m
0,4kg



PZO 42

Latch plate for semi-circular cap and spacer strip. Applied every 40 cm with aluminium guide cap N/PPDO , D-PP, D-PPD.





Z-PP/PK-XX

PVC plug for aluminium guide.

Available in colors (XX):



02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 13 - green, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 27 - basalt gray, 48 - golden oak.



SP-7x6 4P SP

Brush seal for guides.




Applied with PP-53, PK-53, PPD-79, PP-66, PPDM-53 guides.



SP-7x8-3P1M-VR

Brush seal for guides with mosquito net.

Applied with PPDM-53, PPDM-80, PPMP-79 guide.






P-53-XX

Guide plug. Applied with PP and PK guides.

Available in colors (XX):

02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 13 - green, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 27 - basalt gray, 48 - golden oak.




P-53M-XX

Guide plug with mosquito net. Applied with PPDM-53 guide.

Available in colors (XX):

02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 48 - golden oak.






P-66 XX

Guide plug. Applied with PP-66 guide. (for PA 52 profile).

Available in colors (XX):

02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 48 - golden oak.




P-79-XX

Double guide plug. Applied with PPD-79 guide.

Available in colors (XX):

02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 48 - golden oak.




P-80 M XX

Double guide plug. Applied with PPMP-79 guide.

Available in colors (XX):

02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 48 - golden oak.




P-105 XX

Double guide plug. Applied with PPDW-105 guide (for PA 52 profile).

Available in colors (XX):


02 - white, 03 - gray, 04 - dark beige, 05 - light beige, 08 - dark brown, 09 - light brown, 16 - ivory, 19 - maroon, 20 - black, 23 - anthracite, 26 - steel olive, 48 - golden oak.





PMA-G

Adaption division of the mosquito net - top.




PMA-D



Adaption division of the mosquito net - bottom.



Adaption division of the mosquito net:




- | | | |
|----|--------------|--|
| 1 | MOS FI23 1,7 | Mosquito net on the pipe $\varnothing$ 23 1,7 |
| | MOS FI23 2,6 | Mosquito net on the pipe $\varnothing$ 23 2,6 |
| 2. | PMA-G | Adaption division of the mosquito net - top |
| 3. | PMA-D | Adaption division of the mosquito net - bottom |
| 4. | PPMP-79 | Double division guide for mosquito net |
| 5. | ZSKW | Guide end cap with a channel for a gasket |
| 6. | KA-44 B | Rubber gasket for LD-35 mini |
| 7. | ZSKM | End cap for the mosquito net channel |
| 8. | M-RZ-060 | Metal division handle for the mosquito net |





BPS 110 VVV-XX

Division of ST2000, IT2000 boxes for two single guides, dependent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 137, 150, 165, 180, 205	137 1pc 0,51kg
150 1pc 0,53kg	165 1pc 0,61kg	180 1pc 0,68kg
		205 1pc 0,84kg





BPS 210 VVV-XX

Division of ST2000 box with mosquito net, IT2000 with mosquito net for two single guides, dependent drive.
VVV - box size, XX - color.




BOX 150, 165, 180, 205	ST2000 IT2000	150 1pc 0,53kg
165 1pc 0,61kg	180 1pc 0,68kg	205 1pc 0,84kg





BPS 310 VVV-XX

Division of ST2000, IT2000 boxes with PA-52 profile for two single guides, dependent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 137, 150, 165, 180, 205	137 1pc 0,51kg
150 1pc 0,53kg	165 1pc 0,61kg	180 1pc 0,68kg
		205 1pc 0,84kg




BPR 110 VVV-XX

Division of RL2000 box for two single guides, dependent drive.
VVV - box size, XX - color.




RL2000	BOX 150, 180, 205	
150 1pc 0,56kg	180 1pc 0,71kg	205 1pc 0,89kg




BPR 210 VVV-XX

Division of RL2000 box with mosquito net for two single guides, dependent drive.
VVV - box size, XX - color.




RL2000	BOX
150	150, 180, 205
180	
205	
1pc 0,56kg	1pc 0,71kg
	1pc 0,89kg




BPR 310 VVV-XX

Division of RL2000 box with PA-52 profile for two single guides, dependent drive.
VVV - box size, XX - color.




RL2000	BOX
150	150, 180, 205
180	
205	
1pc 0,56kg	1pc 0,71kg
	1pc 0,89kg




BPO 110 VVV-XX

Division of OS2000 boxes for two single guides, dependent drive.
VVV - box size, XX - color.




OS2000	BOX
137	137, 165, 180, 205
165	
180	
205	
1pc 0,52kg	1pc 0,64kg
	1pc 0,81kg




BPO 210 VVV-XX

Division of OS2000 box with mosquito net for two single guides, dependent drive.
VVV - box size, XX - color.




OS2000	BOX
165	165, 180, 205
180	
205	
1pc 0,52kg	1pc 0,64kg
	1pc 0,81kg




BPO 310 VVV-XX

Division of OS2000 boxes with PA-52 profile for two single guides, dependent drive.
VVV - box size, XX - color.




OS2000	BOX 137, 165 180, 205	137 1pc 0,37kg
165 1pc 0,52kg	180 1pc 0,64kg	205 1pc 0,81kg




BPS 130 VVV-XX

Division of ST2000, IT2000 boxes for double guide, dependent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 137, 150 165, 180, 205	137 1pc 0,51kg
150 1pc 0,53kg	165 1pc 0,61kg	180 1pc 0,68kg
		205 1pc 0,84kg




BPS 230 VVV-XX

Division of ST2000 box with mosquito net, IT2000 with mosquito net for double guide, dependent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 150, 165 180, 205	150 1pc 0,53kg
165 1pc 0,61kg	180 1pc 0,68kg	205 1pc 0,84kg




BPS 330 VVV-XX

Division of ST2000, IT2000 boxes with PA-52 profile for double guide, dependent drive.
VVV - box size, XX - color.





ST2000 IT2000	BOX 137, 150 165, 180, 205	137 1pc 0,51kg
150 1pc 0,53kg	165 1pc 0,61kg	180 1pc 0,68kg
		205 1pc 0,84kg



BPR 130 VVV-XX

Division of RL2000 box for double guide, dependent drive.



VVV - box size, XX - color.



BPR 230 VVV-XX

Division of RL2000 box with mosquito net for double guide, dependent drive.



VVV - box size, XX - color.



BPR 330 VVV-XX

Division of RL2000 box with PA-52 profile for double guide, dependent drive.


VVV - box size, XX - color.




BPO 130 VVV-XX

Division of OS2000 boxes for double guide, dependent drive.


VVV - box size, XX - color.






BPO 230 VVV-XX

Division of OS2000 box with mosquito net for double guide, dependent drive.
VVV - box size, XX - color.




OS2000		BOX 165 180,205
165 1pc 0,39kg	180 1pc 0,45kg	205 1pc 0,54kg




BPO 330 VVV-XX

Division of OS2000 with PA-52 profile for double guide, dependent drive.
VVV - box size, XX - color.




OS2000	BOX 137,165 180,205	1pc 0,32kg
1pc 0,39kg	1pc 0,45kg	1pc 0,54kg




BPS 100 VVV-XX

Division of ST2000, IT2000 boxes for two single guides, independent drive.
VVV - box size, XX - color.




	ST2000 IT2000	BOX 137,150, 165,180,205	131 1pc 0,42kg
150 1pc 0,47kg	165 1pc 0,54kg	180 1pc 0,62kg	205 1pc 0,78kg




BPS 200 VVV-XX

Division of ST2000 box with mosquito net, IT2000 with mosquito net for two single guides, independent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 150,165, 180,205	1pc 0,47kg
1pc 0,54kg	1pc 0,62kg	1pc 0,78kg




BPS 300 VVV-XX

Division of ST2000, IT2000 boxes with PA-52 profile for two single guides, independent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 137,150, 165,180,205	137 1pc 0,42kg
150 1pc 0,47kg	165 1pc 0,53kg	180 1pc 0,62kg
		205 1pc 0,78kg




BPR 100 VVV-XX

Division of RL2000 box for two single guides, independent drive.
VVV - box size, XX - color.




RL2000	BOX 150,180,205	
150 1pc 0,48kg	180 1pc 0,65kg	205 1pc 0,83kg




BPR 200 VVV-XX

Division of RL2000 box with mosquito net for two single guides, independent drive.
VVV - box size, XX - color.




RL2000	BOX 150,180,205	
150 1pc 0,48kg	180 1pc 0,65kg	205 1pc 0,83kg




BPR 300 VVV-XX

Division of RL2000 box with PA-52 profile for two single guides, independent drive.
VVV - box size, XX - color.




RL2000	BOX 150,180,205	
150 1pc 0,48kg	180 1pc 0,65kg	205 1pc 0,83kg




BPO 100 VVV-XX

Division of OS2000 boxes for two single guides, independent drive.
VVV - box size, XX - color.




OS2000	BOX 137, 165 180, 205	137 1pc 0,37kg
165 1pc 0,54kg	180 1pc 0,67kg	205 1pc 0,84kg




BPO 200 VVV-XX

Division of OS2000 box with mosquito net for two single guides, independent drive.
VVV - box size, XX - color.




OS2000	BOX 165 180, 205	165 1pc 0,54kg
180 1pc 0,67kg	205 1pc 0,84kg	




BPO 300 VVV-XX

Division of OS2000 boxes with PA-52 profile for two single guides, independent drive.
VVV - box size, XX - color.




OS2000	BOX 137, 165 180, 205	137 1pc 0,37kg
165 1pc 0,54kg	180 1pc 0,67kg	205 1pc 0,84kg




BPS 120 VVV-XX

Division of ST2000, IT2000 boxes for double guide, independent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 137, 150 165, 180, 205	137 1pc 0,34kg
150 1pc 0,35kg	165 1pc 0,4kg	180 1pc 0,44kg
		205 1pc 0,52kg




BPS 220 VVV-XX

Division of ST2000 box with mosquito net, IT2000 with mosquito net for double guide, independent.
VVV - box size, XX - color.




ST2000 IT2000	BOX 150,165, 180,205	150 1pc 0,37kg
165 1pc 0,42kg	180 1pc 0,46kg	205 1pc 0,55kg




BPS 320 VVV-XX

Division of ST2000, IT2000 boxes with PA-52 profile for double guide, independent drive.
VVV - box size, XX - color.




ST2000 IT2000	BOX 137,150, 165,180,205	137 1pc 0,34kg
150 1pc 0,35kg	165 1pc 0,4kg	180 1pc 0,44kg
		205 1pc 0,52kg




BPR 120 VVV-XX

Division of RL2000 box for double guide, independent drive.
VVV - box size, XX - color.




RL2000	BOX 150,180,205	
150 1pc 0,35kg	180 1pc 0,45kg	205 1pc 0,55kg




BPR 220 VVV-XX

Division of RL2000 box with mosquito net for double guide, independent drive.
VVV - box size, XX - color.




RL2000	BOX 150,180,205	
150 1pc 0,36kg	180 1pc 0,45kg	205 1pc 0,55kg




BPR 320 VVV-XX

Division of RL2000 box with PA-52 profile for double guide, independent drive.
VVV - box size, XX - color.




RL2000		BOX 150,180,205
150 1pc 0,35kg	180 1pc 0,45kg	205 1pc 0,55kg




BPO 120 VVV-XX

Division of OS2000 boxes for double guide, independent drive.
VVV - box size, XX - color.




OS2000		BOX 137,165 180,205
137 1pc 0,32kg	165 1pc 0,4kg	180 1pc 0,46kg
		205 1pc 0,51kg




BPO 220 VVV-XX

Division of OS2000 box with mosquito net for double guide, independent.
VVV - box size, XX - color.




OS2000		BOX 165 180,205
165 1pc 0,4kg	180 1pc 0,46kg	205 1pc 0,51kg




BPO 320 VVV-XX

Division of OS2000 boxes with PA-52 profile for double guide, independent drive.
VVV - box size, XX - color.




OS2000		BOX 137,165 180,205
137 1pc 0,32kg	165 1pc 0,4kg	180 1pc 0,46kg
		205 1pc 0,51kg

Roller shutter with mosquito net division.




1	BS-150 L/R	Side of the box ST2000 150	10.	SW40	Octagonal pipe ø 40
	BS-165 L/R	Side of the box ST2000 165		SW60	Octagonal pipe ø 60
	BS-180 L/R	Side of the box ST2000 180	11.	M-RZ-040	Handle for front mounted roller shutter mosquito net
	BS-205 L/R	Side of the box ST2000 205	12.	M-RZ-200	Mosquito net spring
2	SK-150G	Box ST2000 150 top		M-RZ-210	Slowing system for mosquito net in the front mounted roller shutter
	SK-165G	Box ST2000 165 top	13.	LDM-41x8 CH	Bottom lath for mosquito net
	SK-180G	Box ST2000 180 top	14.	MOS FI23 1,7	Mosquito net on the pipe ø 23 1,7
	SK-205G	Box ST2000 205 top		MOS FI23 2,6	Mosquito net on the pipe ø 23 2,6
3.	SK-150DM	Box ST2000 150 bottom for mosquito net	15.	M-RW-170-02 L	Bottom lath latch for the mosquito net left
	SK-165DM	Box ST2000 165 bottom for mosquito net	16.	M-RW-170-02 P	Bottom lath latch for the mosquito net rights
	SK-180DM	Box ST2000 180 bottom for mosquito net	17.	PMA-G	Adaption division of the mosquito net - top
	SK-205DM	Box ST2000 205 bottom for mosquito net	18.	PMA-D	Adaption division of the mosquito net - bottom
4.	KNO-40-150	Wheel of the roller for box 150	19.	PPMP-79	Double division guide for mosquito net
	KNO-40-165	Wheel of the roller for box 165	20.	ZSKW	Guide end cap with a channel for a gasket
	KNO-40-180	Wheel of the roller for box 180, 205	21.	KA-44 B	Rubber gasket for LD-35 mini
5.	PPDM-53	ALU double guide for mosquito net	22.	M-RW-180	Latch clip
6.	LO 28/12	Bearing for ALU	23.	M-RW-200	Latch lock in the bottom lath of the mosquito net
7.	SPPM L/P	Profile blade slider	24.	M-RZ-060	Handle for division in front mounted roller shutter mosquito net
8.	OBS-40	Mounting for ø 40 pipe	25.	M-RN-070	Spring for cassette's latch
	OBS-60	Mounting for ø 60 pipe	26.	MZW-050	Cord handle in the bottom lath of the mosquito net
9.	PZ40/50	Expansion ring	27.	M-RW-080	Bottom lath handle of the mosquito net
	PZ60/70	Expansion ring	28.	ABS CZ	Slowing system for mosquito net

Division for two single guides in a roller shutter with independent drive.



1	BPS 100	Division of ST2000/IT2000 box
	BPR 100	Division of RL2000 box
	BPO 100	Division of OS2000 box
2	LO 28/12	Bearing for front mounted roller shutter boxes
3	OBS-40/78	Mounting 40/78 for aluminium
	OBS-60/78	Mounting 60/78 for aluminium
4	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60


Division for two single guides in a roller shutter with mosquito net and independent drive.



1	BPS 200	Division of ST2000/IT2000 box with mosquito net
	BPR 200	Division of RL2000 box with mosquito net
	BPO 200	Division of OS2000 box with mosquito net
2	LO 28/12	Bearing for front mounted roller shutter boxes ø60
3	OBS-40/78	Mounting 40/78 for aluminium
	OBS-60/78	Mounting 60/78 for aluminium
4	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60


Components for front mounted roller shutter system Assembly drawings - divisions

Division for two single guides in a roller shutter with PA-52 curtain and independent drive.




1	BPS 300	Division of ST2000/IT2000 box for PA-52 curtain
	BPR 300	Division of RL2000 box for PA-52 curtain
	BPO 300	Division of OS2000 box for PA-52 curtain
2	LO 28/12	Bearing for front mounted roller shutter boxes ø60
3	OBS-40/78	Mounting 40/78 for aluminium
	OBS-60/78	Mounting 60/78 for aluminium
4	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for two single guides in a roller shutter with dependent drive.




1	BPS 110	Division of ST2000/IT2000 box
	BPR 110	Division of RL2000 box
	BPO 110	Division of OS2000 box
2	RKZ 34	Round bolt for ø40 pipe
	RKZ 35	Round bolt for ø60 pipe
3	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for two single guides in a roller shutter with mosquito net and dependent drive.




1	BPS 210	Division of ST2000/IT2000 box with mosquito net
	BPR 210	Division of RL2000 box with mosquito net
	BPO 210	Division of OS2000 box with mosquito net
2	RKZ 34	Round bolt for ø40 pipe
	RKZ 35	Round bolt for ø60 pipe
3	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for two single guides in a roller shutter with PA-52 curtain and dependent drive.




1	BPS 310	Division of ST2000/IT2000 box for PA-52 curtain
	BPR 310	Division of RL2000 box for PA-52 curtain
	BPO 310	Division of OS2000 box for PA-52 curtain
2	RKZ 34	Round bolt for $\varnothing 40$ pipe
	RKZ 35	Round bolt for $\varnothing 60$ pipe
3	SW 40	Octagonal pipe $\varnothing 40$
	SW 60	Octagonal pipe $\varnothing 60$

Division for a double guide in a roller shutter with independent drive.




1	BPS 120	Division of ST2000/IT2000 box
	BPR 120	Division of RL2000 box
	BPO 120	Division of OS2000 box
2	LO 28/12	Bearing for front mounted roller shutter boxes ø60
3	OBS-40/78	Mounting 40/78 for aluminium
	OBS-60/78	Mounting 60/78 for aluminium
4	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for a double guide in a roller shutter with mosquito net and independent drive.




1	BPS 220	Division of ST2000/IT2000 box with mosquito net
	BPR 220	Division of RL2000 box with mosquito net
	BPO 220	Division of OS2000 box with mosquito net
2	LO 28/12	Bearing for front mounted roller shutter boxes $\varnothing 60$
3	OBS-40/78	Mounting 40/78 for aluminium
	OBS-60/78	Mounting 60/78 for aluminium
4	SW 40	Octagonal pipe $\varnothing 40$
	SW 60	Octagonal pipe $\varnothing 60$

Division for a double guide in a roller shutter with PA-52 curtain and independent drive.




1	BPS 320	Division of ST2000/IT2000 box for PA-52 curtain
	BPR 320	Division of RL2000 box for PA-52 curtain
	BPO 320	Division of OS2000 box for PA-5 curtain
2	LO 28/12	Bearing for front mounted roller shutter boxes ø60
3	OBS-40/78	Mounting 40/78 for aluminium
	OBS-60/78	Mounting 60/78 for aluminum
4	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for a double guide in a roller shutter with dependent drive.




1	BPS 130	Division of ST2000/IT2000 box
	BPR 130	Division of RL2000 box
	BPO 130	Division of OS2000 box
2	RKZ 34	Round bolt for ø40 pipe
	RKZ 35	Round bolt for ø60 pipe
3	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for a double guide in a roller shutter with mosquito net and dependent drive.



1	BPS 230	Division of ST2000/IT2000 box with mosquito net
	BPR 230	Division of RL2000 box with mosquito net
	BPO 230	Division of OS2000 box with mosquito net
2	RKZ 34	Round bolt for ø40 pipe
	RKZ 35	Round bolt for ø60 pipe
3	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Division for a double guide in a roller shutter with PA-52 curtain and dependent drive.




1	BPS 330	Division of ST2000/IT2000 box for PA-52 curtain
	BPR 330	Division of RL2000 box for PA-52 curtain
	BPO 330	Division of OS2000 box for PA-52 curtain
2	RKZ 34	Round bolt for ø40 pipe
	RKZ 35	Round bolt for ø60 pipe
3	SW 40	Octagonal pipe ø40
	SW 60	Octagonal pipe ø60

Components for front mounted roller shutter system


Output of the tape

Dimensioning diagram of the output of the tape from the aluminium box.


A output




B output



C output




D output




If the output of the tape is not specified in the order, as standard B output will be accepted for A and B type roller shutter and C output for C type roller shutter.

Dimensioning scheme of the output of the cord, cable from an aluminium box.


A output




B output



C output




D output




If the output of the cord is not specified in the order, as standard B output will be accepted for A and B type roller shutter and C output for C type roller shutter.

Components for front mounted roller shutter system Assembly drawings - crank lifting mechanism




NOTE – roller shutters with crank lifting mechanism drive with cardan joint cannot be equipped with automatic bolts.




- | | |
|-----------------|--|
| 1. Box - top | (depending on the system ST2000, OS2000, RL2000) |
| 2. Box - bottom | (depending on the system ST2000, OS2000, RL2000) |
| 3. Box side | (depending on the system ST2000, OS2000, RL2000) |
| 4. ACE-1-11 | Crank mechanism ACE 1:11 to 32 kg |
| 5. | ACE Mounting pin - included with the ACE mechanism |
| 6. OBS-40-ACE | Mounting 40 for ACE mechanism |
| OBS-60-ACE | Mounting 60 for ACE mechanism |
| 7. KRH-90/1500 | Cardan with crank 1500 mm |
| 8. SW 40 | Octagonal pipe 40 mm |
| SW 60 | Octagonal pipe 60 mm |
| 9. U-KRD | Wall handle for cardan crank |

Adjustment of the crank with cardan joint in the roller shutter box.


ST2000®
D output




ST2000®
B output




ST2000®
Unusual output, mounting the crank
on the inspection cover.



RL2000®
B output





OS2000®
B output



* - Inclination angle of the crank depends on the size of the box and the place where the crank is installed.
In the IT2000 roller shutters there is no crank mechanism with cardan gear.

In the case of roller shutters of the B or C type installation, equipped with a crank lifting mechanism, it is recommended to use expanding profiles at the windows.


Components for front mounted roller shutter system Assembly drawings - NHK installation




- | | |
|-----------------|--|
| 1. Box - top | (depending on the system ST2000, OS2000, RL2000) |
| 2. Box - bottom | (depending on the system ST2000, OS2000, RL2000) |
| 3. Box side | (depending on the system ST2000, OS2000, RL2000) |
| 4. | NHK drive |
| 5. SW 40 | Octagonal pipe 40 mm |
| SW 60 | Octagonal pipe 60 mm |
| 6. TZU-S | Pin with eye for NHK drives |

Setting the NHK head in the front mounted roller shutter box.


ST2000®
D output




ST2000®
B output




ST2000®
Unusual outputs.



RL2000®
B output




OS2000®
B output



* - The inclination angle of the pin output depends on the size of the box.
In IT2000 roller shutters there is no emergency manual lifting mechanism


In the case of roller shutters of the B or C type installation, equipped with NHK drive, it is recommended to use expanding profiles at the windows.

Components for front mounted roller shutter system Assembly drawings - installation of the motor




1	ST2000, RL2000, OS2000, IT2000 front mounted roller shutter box
2	Handle for motor
3	Drive
4	SW 40 Octagonal pipe $\varnothing 40$ SW 60 Octagonal pipe $\varnothing 60$
5	4x8 rivets


Installation of PP-53 straight guides - B type installation.




Installation of PP-53 straight guides and PPD-79 double guide - B type installation.




Installation of PPDM-53 guides - B type installation.




Installation of PPDM-53 guides and PPDM-80 double guide - B type installation.




Installation of PP-53 straight guides - A type installation.




Installation of PK-53 corner guides - C type installation.



Method of attaching the latches of the single semi-circular cap.





Method of attaching latches of the double semi-circular cap.





Front mounted roller shutter system

Attaching latches, spacer strips


Method of attaching a spacer strip of the single guide.



Method of attaching the spacer strip of the double guide.




Methods of drilling holes for screws in guides:



Available drilling methods in individual guides:


PP-53



Available drilling methods:

(A) (B)


PPDM-53



Available drilling methods:

(B)


PK-53



Available drilling methods:

(A) (C)


PP-66



Available drilling methods:

(A) (B)


PPD-79-XX



Available drilling methods:


(B)

PPDW-105



The guide is not drilled for screws.

PPDM-80-XX




Available drilling methods:

(B)


Front mounted roller shutter system Installation of the cylinder lock in the bottom lath

Methods of mounting the cylinder lock in the front mounted roller shutter bottom lath:

A, B type installation




C type installation



The side of the cylinder lock with the covering plate is visible in the above drawings. The lock with mounting screws is located on the inside.

Milling guides for a cylinder lock – front mounted roller shutters.



PP-53 (milling in PP-66, PPD-79, PK-53, PPDM-53 guides is made in the similar way).

ST2000®

PA-39, PA-45, PA-52 curtain (including profile plugs)

Box size (mm)	width 0.35-2 m, max. area 6.5 m ²			width 0.35-2.5 m, max. area 6.5 m ²			width 0.35-3 m, max. area 6.5 m ²			width 0.35 - 3.7 m, max. area 8 m ²	
	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box	
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB	PA-52 ø 60+PZ70	PA-52 ø 60-WB
SK-137	152	152	142	126	126	X	X		X	X	X
SK-150	197	197	186	182	182	151	126		121	X	X
SK-165	250	250	242	236	236	199	163		168	138	120
SK-180	306	306	310	294	294	282	214		214	196	190
SK-205	394	394	402	398	398	359	294		294	270	260

Note! With the roller shutter width of more than 2 m, use ø 60. PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70.

ST2000® WITH MOSQUITO NET

PA 39, PA 45 curtain (including profile plugs) width 0.55 - 1.80 m, max. area 4.5 m²

Box size (mm)	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box		
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB
SK-137	X	X	X	X	X	X	X	X	X
SK-150	108	108	108	X	X	X	X	X	X
SK-165	176	179	144	156	156	121	X	X	X
SK-180	224	228	216	200	200	200	X	X	X
SK-205	250	250	250	250	250	250	250	250	250

Note! With the roller shutter width of more than 2 m (for divisions in one box) use ø 60. The minimum width of the roller shutter with slowing system for mosquito net is 67 cm. PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70.

RL2000® front mounted roller shutter system

Recommended box sizes in individual box sizes

RL2000®

PA 39, PA 45 curtain (including profile plugs)

width 0.35-2 m, max. area 6.5 m² width 0.35-2.5 m, max. area 6.5 m² width 0.35-3 m, max. area 6.5 m²

Box size (mm)	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box		
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB
SK-150	197	197	194	182	182	151	126		121
SK-180	286	286	298	294	302	267	214		214
SK-205	394	394	402	398	410	359	294		294

Note! For roller shutter width of more than 2 m, use ø 60
PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70

RL2000® WITH MOSQUITO NET

PA-39, PA-45 curtain (including profile plugs) width 0.55 - 1.80 m, max. area 4.5 m²

Box size (mm)	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box		
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB
SK-150	108	108	108	X	X	X	X	X	X
SK-180	224	224	216	200	200	200	X	X	X
SK-205	250	250	250	250	250	250	250	250	250

Note! With the roller shutter width of more than 2 m (for divisions in one box) use ø 60.
The minimum width of the roller shutter with slowing system for mosquito net is 67 cm.
PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70

OS2000®

PA-39, PA-45, PA-52 curtain (including profile plugs)

width 0.35-2 m, max.area 6.5 m² | width 0.35 - 2.5 m, max. area 6.5 m² | width 0.35 - 3 m, max. area 6.5 m² | width 0.35 - 3.7 m, max. area 8 m²

Box size (mm)	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box	
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB	PA-52 ø 60+PZ70	PA-52 ø 60-WB
SK-137	152	152	142	126	126	X	X		X	X	X
SK-165	250	250	242	236	236	199	163		168	138	120
SK-180	306	306	310	294	294	282	214		214	196	190
SK-205	394	394	402	398	398	359	294		294	270	260

Note! For roller shutter width of more than 2 m, use ø 60
PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70

OS2000® WITH MOSQUITO NET

PA 39, PA 45 curtain (including profile plugs)

width 0.55 - 1.80 m, max. area 4.5 m²

Box size (mm)	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box		
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB
SK-137	X	X	X	X	X	X	X	X	X
SK-165	176	152	144	156	156	121	X	X	X
SK-180	224	228	216	200	200	200	X	X	X
SK-205	250	250	250	250	250	250	250	250	250

Note! With the roller shutter width of more than 2 m (for divisions in one box) use ø 60. The minimum width of the roller shutter with slowing system for mosquito net is 67 cm. PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70.

IT2000® front mounted roller shutter system

Recommended box sizes in individual box sizes

IT2000®

PA-39, PA-45, PA-52 curtain (including profile plugs)

Box size (mm)	width 0.35-2 m, max.area 6.5 m ²			width 0.35-2.5 m, max. area 6.5 m ²			width 0.35-3 m, max. area 6.5 m ²			width 0.35 - 3.7 m, max. area 8 m ²	
	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box	
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB	PA-52 ø 60+PZ70	PA-52 ø 60-WB
SK-137	152	152	142	126	126	X	X		X	X	X
SK-165	250	250	242	236	236	199	163		168	138	120
SK-180	306	306	310	294	294	282	214		214	196	190
SK-205	394	394	402	398	398	359	294		294	270	260

Note! With the roller shutter width of more than 2 m, use ø 60.

Motor with an emergency lifting mechanism - NHK cannot be installed in IT2000 roller shutters. PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70.

IT2000® WITH MOSQUITO NET

PA-39, PA-45 curtain (including profile plugs)

width from 0.55 - 1.80 m, max. area 4.5 m²

Box size (mm)	Maximum height of the roller shutter with box			Maximum height of the roller shutter with box			Maximum height of the roller shutter with box		
		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)		with automatic bolt (cm)	with blocking bracket (cm)
ALUMINIUM	PA-39 ø 40+PZ50	PA-39 ø 40-rygiel	PA-39 ø 40-WB	PA-39 ø 60+PZ70	PA-39 ø 60-rygiel	PA-39 ø 60-WB	PA-45 ø 60+PZ70	PA-45 ø 60-rygiel	PA-45 ø 60-WB
SK-137	X	X	X	X	X	X	X	X	X
SK-165	176	179	144	156	156	121	X	X	X
SK-180	224	228	216	200	200	200	X	X	X
SK-205	250	250	250	250	250	250	250	250	250

Note! With the roller shutter width of more than 2 m (for divisions in one box) use ø 60.

Motor with an emergency lifting mechanism - NHK cannot be installed in IT2000 roller shutters with mosquito net.

With the use of the slowing system, the minimum width of the roller shutter with mosquito net is 67 cm.

PZ - expansion ring from ø 40 to ø 50 or from ø 60 to ø 70.



DECLARATION OF PERFORMANCE

Nr. 001/2019

1. Unique identification code of the product-type: Front mounted shutters - ST2000®, RL2000®, OS2000®, OL2000®, IT2000®.
2. Intended use/es: Front mounted shutters
3. Manufacturer: PORTOS TR7 spółka z ograniczoną odpowiedzialnością spółka komandytowa
4. Authorised representative: Not applicable
5. System/s of AVCP: 4
6.
 - a) Harmonised standard: EN 13659:2015-07
 - Notified body/ies: Not applicable
 - b) European Assessment Document: Not applicable
 - European Technical Assessment: Not applicable
 - Technical Assessment Body: Not applicable
 - Notified body/ies: Not applicable
7. Declared performance/s:

Essential characteristics	Test result / Performance	Reference document
Wind load resistance	Meets the requirements at guide opening width S for: S ≤ 2,7 m - class 2 S ≤ 2,4 m - class 3 S ≤ 2,0 m - class 4 S ≤ 1,7 m - class 5 S ≤ 1,5 m - class 6 S ≤ 1,3 m - class 6	PN-EN 13659:2015-07

8. Appropriate Technical Documentation and/or Specific Technical Documentation: Not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

WŁAŚCICIEL
Tomasz Szukalski

Tomasz Szukalski
Owner
Kalisz, 02.12.2019

